





CONCRETE SCHEDULE			
			VOLUME (CUBIC YARDS)
APPROACHES			9.6
FLOOR			33.1
TOTAL			42.7
MISC. STEEL			
PIT COPING	3 X 3 X 1/4	25 LN .FT	123 LBS

# CONCRETE LAYOUT




REVISION			INIT	DATE
REV	ECO	DESCRIPTION		






DETAIL C




DETAIL D



DESIGNED BY DATE S. JOHNSON 02/06/2017		DRAWN BY DATE S. JOHNSON 02/06/2017		FIELD APPROVAL DATE ERROR! DesEng ERROR! DesEngDate		
TREATMENT  NONE		THIS DRAWING AND INFORMATION CONTAINED HEREIN IS AND REMAINS THE PROPERTY OF RICE LAKE WEIGHING SYSTEMS INC. - HEREINAFTER REFERRED TO AS RLWS. IT MAY BE USED ONLY FOR RLWS' PROPOSAL AND/OR ITS CUSTOMER'S ORDERS. IT SHALL NOT BE DISCLOSED OR COPIED WITHOUT RLWS' SPECIFIC WRITTEN CONSENT AND SHALL BE IMMEDIATELY RETURNED UPON REQUEST.		UNLESS OTHERWISE SPECIFIED UNITS TO BE INCHES ALL THREADS TO BE CLASS 2 ALL DIMENSIONS APPLICABLE AFTER TREATMENT		
NUMBER OF CRANES:  MINIMUM CRANE CAPACITY:  ESTIMATED WEIGHT (POUNDS):		TOLERANCES DRAWING TOLERANCES UNLESS OTHERWISE SPECIFIED DO NOT SCALE SURFACE FINISH XXX: ± .XXX: ± ✓ ANGLE: ±		DESCRIPTION FOUNDATION, CONCRETE SLAB 70' X 12' OTR SERIES TRUCK SCALE		
				SCALE 1:45 SHEET 2 OF 3 MATERIAL 180295 REV B		


MATERIAL REQUIRMENTS				
REBAR SCHEDULE				
BAL. NO.	QUANTITY	LENGTH (FT-IN.)	DESCRIPTION	WEIGHT
A	26	9' 6"	# 4 @ 12 O.C.	165
B	22	11' 10"	# 4 @ 12 O.C.	174
C	26	1' 9 3/4"	# 4 @ 12 O.C.	31
D	32	71' 6"	# 4 AS SHOWN	1528
E	107	11' 10"	# 4 AS SHOWN	846
TOTAL WEIGHT OF REBAR (LBS.)				2745
TOTAL LENGTH OF REBAR (FT.)				4109

REBAR LAYOUT




APPROACH STANDARD VIEW


**NOTES:** 1) LEFT AND RIGHT APPROACHES ARE MIRROR IMAGES OF EACH OTHER AND CONTAIN AN IDENTICAL PART LIST





REBAR SPACING LENGTH



REBAR SPACING WIDTH



DESIGNED BY: JONAS S. JOHNSON 02/06/2017	DRAWN BY: JONAS S. JOHNSON 02/06/2017	FIELD APPROVAL: DATE ERROR! DesEng ERROR! DesEngDate	<b>RICE LAKE</b> WEIGHING SYSTEMS	
TREATMENT  NONE	THIS DRAWING AND INFORMATION CONTAINED HEREIN IS AND REMAINS THE PROPERTY OF RICE LAKE WEIGHING SYSTEMS INC. - HEREINAFTER REFERRED TO AS RLWS. IT MAY BE USED ONLY FOR RLWS' PROPOSAL AND/OR ITS CUSTOMER'S ORDERS. IT SHALL NOT BE DISCLOSED OR COPIED WITHOUT RLWS' SPECIFIC WRITTEN CONSENT AND SHALL BE IMMEDIATELY RETURNED UPON REQUEST.	UNLESS OTHERWISE SPECIFIED UNITS TO BE INCHES ALL THREADS TO BE CLASS 2 ALL DIMENSIONS APPLICABLE AFTER TREATMENT		
NUMBER OF CRANES: MINIMUM CRANE CAPACITY:  (ESTIMATED WEIGHT (POUNDS))	DO NOT SCALE DRAWING SURFACE FINISH ✓	TOLERANCES DRAWING TOLERANCES UNLESS OTHERWISE SPECIFIED .XX: ± .XXX: ± ANGLE: ±	SCALE 1:192	SHEET 3 OF 3
DESCRIPTION FOUNDATION, CONCRETE SLAB 70' X 12' OTR SERIES TRUCK SCALE			THIRD ANGLE PROJECTION 	REVISION 180295 B