









- 9 APPROACH THICKNESS MAY BE 10" MINIMUM WHERE ALLOWED BY STATE REGULATIONS

- | | | | | | | | | | |
|---|--|---|--|---|--|---|--|---|--|
| (ISSUED BY DATE)
S. JOHNSON
02/17/2017 | | (DRAWN BY DATE)
S. JOHNSON
02/17/2017 | | (PERMITTING DATE)
S. JOHNSON
02/28/2017 | |  | | | |
| (TREATMENT)
NONE | | THIS DRAWING AND INFORMATION CONTAINED HEREIN IS AS FURNISHED TO THE PURCHASER OF RICE LAKE WEIGHING SYSTEMS INC. HEREINAFTER REFERRED TO AS RLS. THE USER SHALL BE RESPONSIBLE FOR ANY RISKY PROPOSAL AND/OR USE TO CUSTOMER. CUSTOMER SHALL NOT BE HELD LIABLE FOR ANY CLAIMS WITHOUT RELIABLE SPECIFIC WRITTEN CONSENT AND SHALL BE IMMEDIATELY RETURNED UPON REQUEST. | | UNLESS OTHERWISE SPECIFIED, ALL TRENDS TO BE IN CLASS 2 ALL DIMENSIONS APPLICABLE AFTER TREATMENT | |  | | | |
| (NUMBER OF CRANES)
MINIMUM CRANE CAPACITY: | |  DO NOT SCALE
SURFACE FINISH
✓ | | TOLERANCES
UNLESS OTHERWISE SPECIFIED
.XX; ±
.XXX; ±
✓ ANGLE; ± | | FOUNDATION, CONCRETE SLAB 80' x 12' OTR SERIES TRUCK SCALE | | | |
| (ESTIMATED WEIGHT (POUNDS)) | |  | | SCALE
1:45 | | SHEET
1 OF 3 | | MATERIAL
 | |
| | | | | THIRD ANGLE PROJECTION | | P/N
180308 | | REV
A1 | |


CONCRETE SCHEDULE			
			VOLUME (CUBIC YARDS)
APPROACHES			9.8
FLOOR			37.7
TOTAL			47.5
MISC. STEEL			
PIT COPING	3 X 3 X 1/4	25 LN. FT	123 LBS

CONCRETE LAYOUT




REVISION			INIT	DATE
REV	ECO	DESCRIPTION		



DETAIL C




DETAIL D




DESIGNED BY: J. JOHNSON S. JOHNSON 02/17/2017	DRAWN BY: J. JOHNSON S. JOHNSON 02/17/2017	FIELD APPROVAL: J. JOHNSON S. JOHNSON 09/28/2017	RICE LAKE WEIGHING SYSTEMS	
TREATMENT NONE	THIS DRAWING AND INFORMATION CONTAINED HEREIN IS AND REMAINS THE PROPERTY OF RICE LAKE WEIGHING SYSTEMS INC. - HEREINAFTER REFERRED TO AS RLWS. IT MAY BE USED ONLY FOR RLWS' PROPOSAL AND/OR ITS CUSTOMER'S ORDERS. IT SHALL NOT BE DISCLOSED OR COPIED WITHOUT RLWS SPECIFIC WRITTEN CONSENT AND SHALL BE IMMEDIATELY RETURNED UPON REQUEST.	UNLESS OTHERWISE SPECIFIED UNITS TO BE INCHES ALL THREADS TO BE CLASS 2 ALL DIMENSIONS APPLICABLE AFTER TREATMENT	DESCRIPTION FOUNDATION, CONCRETE SLAB 80' X 12' OTR SERIES TRUCK SCALE	
NUMBER OF CRANES: MINIMUM CRANE CAPACITY: ESTIMATED WEIGHT (POUNDS)	DO NOT SCALE DRAWING SURFACE FINISH TOLERANCES DRAWING TOLERANCES UNLESS OTHERWISE SPECIFIED .XX: ± .XXX: ± ANGLE: ±	SCALE 1:45	SHEET 2 OF 3	MATERIAL 180308
THIRD ANGLE PROJECTION			REV A1	

MATERIAL REQUIRMENTS				
REBAR SCHEDULE				
BAL. NO.	QUANTITY	LENGTH (FT-IN.)	DESCRIPTION	WEIGHT
A	26	9' 6"	# 4 @ 12 O.C.	165
B	22	11' 10"	# 4 @ 12 O.C.	174
C	24	1' 9 3/4"	# 4 @ 12 O.C.	29
D	32	81' 6"	# 4 AS SHOWN	1742
E	125	11' 10"	# 4 AS SHOWN	988
TOTAL WEIGHT OF REBAR (LBS.)				3098
TOTAL LENGTH OF REBAR (FT.)				4638




APPROACH STANDARD VIEW


NOTES: 1) LEFT AND RIGHT APPROACHES ARE MIRROR IMAGES OF EACH OTHER AND CONTAIN AN IDENTICAL PART LIST



REBAR SPACING LENGTH



REBAR SPACING WIDTH



DESIGNED BY: JONAS S. JOHNSON 02/17/2017		DRAWN BY: JONAS S. JOHNSON 02/17/2017		FIELD APPROVAL: JONAS S. JOHNSON 09/28/2017		RICE LAKE WEIGHING SYSTEMS	
TREATMENT NONE		THIS DRAWING AND INFORMATION CONTAINED HEREIN IS AND REMAINS THE PROPERTY OF RICE LAKE WEIGHING SYSTEMS INC. - HEREINAFTER REFERRED TO AS RLWS. IT MAY BE USED ONLY FOR RLWS' PROPOSAL AND/OR ITS CUSTOMER'S ORDERS. IT SHALL NOT BE DISCLOSED OR COPIED WITHOUT RLWS' SPECIFIC WRITTEN CONSENT AND SHALL BE IMMEDIATELY RETURNED UPON REQUEST.		UNLESS OTHERWISE SPECIFIED UNITS TO BE INCHES ALL THREADS TO BE CLASS 2 ALL DIMENSIONS APPLICABLE AFTER TREATMENT		DESCRIPTION FOUNDATION, CONCRETE SLAB 80' X 12'	
NUMBER OF CRANES: MINIMUM CRANE CAPACITY: ESTIMATED WEIGHT (POUNDS)		DO NOT SCALE DRAWING SURFACE FINISH TOLERANCES DRAWING TOLERANCES UNLESS OTHERWISE SPECIFIED .XX: ± .XXX: ± ANGLE: ±		SCALE 1:192		SHEET 3 OF 3	
		THIRD ANGLE PROJECTION		MATERIAL 180308		REV. A1	