



CONCRETE SCHEDULE			
		VOLUME (CUBIC YARDS)	
APPROACHES		8.2	
FLOOR		23.9	
TOTAL		32.1	
MISC. STEEL			
PIT COPING	3 X 3 X 1/4	21 LN .FT	103 LBS

CONCRETE LAYOUT




		REVISION		
REV	ECO	DESCRIPTION	INIT	DATE





DETAIL C





DETAIL D



DESIGNED BY DATE S. JOHNSON 01/27/2017		DRAWN BY DATE S. JOHNSON 01/27/2017		FIELD APPROVAL DATE S. JOHNSON 09/28/2017		<div><div></div><div>RICE LAKE</div><div>WEIGHING SYSTEMS</div></div>			
TREATMENT NONE		THIS DRAWING AND INFORMATION CONTAINED HEREIN IS AND REMAINS THE PROPERTY OF RICE LAKE WEIGHING SYSTEMS INC. HEREINAFTER REFERRED TO AS RLWS. IT MAY BE USED ONLY FOR RLWS' PROPOSAL AND/OR ITS CUSTOMER'S ORDERS. IT SHALL NOT BE DISCLOSED OR COPIED WITHOUT RLWS SPECIFIC WRITTEN CONSENT AND SHALL BE IMMEDIATELY RETURNED UPON REQUEST.		UNLESS OTHERWISE SPECIFIED UNITS TO BE INCHES ALL THREADS TO BE CLASS 2 ALL DIMENSIONS APPLICABLE AFTER TREATMENT					
NUMBER OF CRANES: MINIMUM CRANE CAPACITY: ESTIMATED WEIGHT (POUNDS):		<div><div></div><div>DO NOT SCALE DRAWING SURFACE FINISH ✓</div></div>		TOLERANCES DRAWING TOLERANCES UNLESS OTHERWISE SPECIFIED .XX: ± .XXX: ± ANGLE: ±		DESCRIPTION FOUNDATION, CONCRETE SLAB 60' X 10' OTR SERIES TRUCK SCALE			
				SCALE 1:45	SHEET 2 OF 3	MATERIAL	THIRD ANGLE PROJECTION 	P/N 180405	REV A1


MATERIAL REQUIREMENTS				
REBAR SCHEDULE				
BAL. NO.	QUANTITY	LENGTH (FT-IN.)	DESCRIPTION	WEIGHT
A	22	9' 6"	# 4 @ 12 O.C.	140
B	20	9' 10"	# 4 @ 12 O.C.	131
C	22	1' 9 3/4"	# 4 @ 12 O.C.	27
D	29	61' 6"	# 4 AS SHOWN	1191
E	90	9' 10"	# 4 AS SHOWN	591
TOTAL WEIGHT OF REBAR (LBS.)				2080
TOTAL LENGTH OF REBAR (FT.)				3114

REBAR LAYOUT




APPROACH STANDARD VIEW


NOTES: 1) LEFT AND RIGHT APPROACHES ARE MIRROR IMAGES OF EACH OTHER AND CONTAIN AN IDENTICAL PART LIST



REBAR SPACING LENGTH



REBAR SPACING WIDTH



DESIGNED BY: J. JOHNSON S. JOHNSON 01/27/2017	DRAWN BY: J. JOHNSON S. JOHNSON 01/27/2017	FIELD APPROVAL: J. JOHNSON S. JOHNSON 09/28/2017	RICE LAKE WEIGHING SYSTEMS	
TREATMENT NONE	THIS DRAWING AND INFORMATION CONTAINED HEREIN IS AND REMAINS THE PROPERTY OF RICE LAKE WEIGHING SYSTEMS INC. - HEREINAFTER REFERRED TO AS RLWS. IT MAY BE USED ONLY FOR RLWS' PROPOSAL AND/OR ITS CUSTOMER'S ORDERS. IT SHALL NOT BE DISCLOSED OR COPIED WITHOUT RLWS' SPECIFIC WRITTEN CONSENT AND SHALL BE IMMEDIATELY RETURNED UPON REQUEST.	UNLESS OTHERWISE SPECIFIED UNITS TO BE INCHES ALL THREADS TO BE CLASS 2 ALL DIMENSIONS APPLICABLE AFTER TREATMENT	DESCRIPTION: FOUNDATION, CONCRETE SLAB 60' X 10' OTR SERIES TRUCK SCALE	
NUMBER OF CRANES: MINIMUM CRANE CAPACITY: ESTIMATED WEIGHT (POUNDS):	DO NOT SCALE DRAWING SURFACE FINISH TOLERANCES DRAWING TOLERANCES UNLESS OTHERWISE SPECIFIED SURFACE FINISH .XX: ± .XXX: ± ANGLE: ±	SCALE: 1:192 SHEET: 3 OF 3 THIRD ANGLE PROJECTION: Y/N	MATERIAL: 180405	REV: A1